

March 2019

Mobile Technology Workstations — Non-Powered

class **Spec** Guide



Accessing technology at anytime and anywhere, working safely within healthcare environments, and enhancing productivity are just some of the ways that we are making a difference in mobile computing. Below are other ways Altus is differentiating itself in today's healthcare market.

1. Ease of Mobility:

Giving you a **lightweight (as low as 34 lbs.)** and highly mobile solution **(100 mm rollerblade casters)** helps assist you with delivering technology where you need it.

2. True Sit to Stand adjustment capability:

Ascend[®] lift technology offers 18" of effortless sit-to-stand height adjustment range with an easy, ergonomic height adjustment hand lever.

3. Counterbalance System:

With each cart there are different worksurface and accessory weight variables. For maximum performance, we offer four (4) counterbalance systems (lite, medium, standard and heavy duty).

4. Small footprint:

With our cart being only 18" wide, we are helping you fit into tight spaces.

5. Ships fully assembled: Saving you time and money.

6. Color Choices:

Nine 3D Thermofoil worksurface colors (Three solid, two abstract and four wood grain) so you can match our carts to the color palette of the room.

7. Customization:

There are various needs for every healthcare environment. That is why customization is key. Let our professional sales and engineering team help you customize your cart.

8. Technology Security:

Keyed and keyless accessibility provides theft-protection securing laptops, thin-clients and patient records.

9. Accessories & Cable Management Options:

Customize your cart with the accessories you require. Only pay for accessories you will use.





Color choices to fit any healthcare environment...

Our nine 3D Thermofoil worksurface color choices help healthcare facilities create a calming and healing aesthetic.

All of our worksurface colors have built-in safety and comfort. From a smooth finish to color flexibility, healthcare environments can be easily designed with patients and caregivers in mind. Cloud (Standard Color)

0141



2064



Cashmere Fibers 4007



Glacier White 0114

2066

Grey Fibers

4012



Summerflame 2013

Shark Grey


6005



American Natural Maple 2028

worksurface color choices

class



Key Adjustability Features:

Keyboard Height Adjustment Range:

28.5" - 46.5"

	Model Number CLP-YYYY	Worksurface Dimensions 20"D x 21"W	Base Dimensions 18"W x 20"D	Weight 54 lbs.	MSRP Price \$1,249
CLP	YYYY = worksurface co	lor, (pg. 18)			
WorkSur 21"D x 20	rtace 4"/100 2 Lockir 18"W x Worksu 5/8" Thick	Worksurface	Non-Powered Cart Hand Cast Aluminum Constructio 18.44"W x .58"D x 1"H	n 🕻	
18) 18)	Keyed Loc Height Adj Integrated Technolog	ay-Open Hinges :k (HIPAA Compliant) ustment Hand Lever Cordless Bar Code Holder y Storage Area Dimensions: ieck: 17.5"W x 13 34"D x 1 7/8"H · deck: 10.5"W x 10"D x 3 3/8"H			51 1/2"
20"D 18"W	 Keyboa One-Pia Left/Rig Cable N Mousing Dimens 1/2" wa prevent from fal Intuitive Keyboa 	d Accessories rd Platform and Mousing - KBP ece Design ht Mousing Area and Aanagement g Area: 6"H x 8"W ions: 23"W x 7.5"D alls of keyboard platform keyboard and mouse ling off 0 /-20 degrees Tilting rd Platform Extends 4" red Wristrest	46.5" 28.5" 6	3	3 1/2"
Laptop Cart MPC-42P	Model Number MPC-42P-XX-YYYY XX = counterbalance Base	Worksurface Dimensions 15"D x 26"W system (pg. 17), YYYY = worksur	Base Dimensions 26"W x 15"D face color, (pg. 18)	Weight 31 Ibs.	MSRP Price \$774
Work Surface		eight Adjustable Base			
Work Surface 26"W x 15"D	4"/100m 2 Locking	eight Adjustable Base Im Rollerblade Casters y / 2 Non-Locking O"D Footprint		C	46.5" 46.5" 18" Range 28.5"
Work Surface 26"W x 15"D	4"/100m 2 Locking 18"W x 2 Works 1" Rectan 3D Therm	m Rollerblade Casters / 2 Non-Locking 0"D Footprint			18" Range
26"W x 15"D	4"/100m 2 Locking 18"W x 2 Works 1" Rectan 3D Therm 3/32" Lip Height Ad	In Rollerblade Casters / 2 Non-Locking O'D Footprint urface Igular Surface - 26"W x 15"D nofoil - reversed tear drop edge			18" Range

Laptop Carts

Magnetic Model Number MSRP Worksurface Dimensions **Base Dimensions** Weight Kidney Laptop Cart MPC-33P-XX-YYYY 18"D x 28"W 18"W x 20"D 35 lbs. \$999 XX = counterbalance system (pg. 17), YYYY = worksurface color, (pg. 18) MPC-33P Base Ascend Height Adjustable Base Surface 28"W x 18"D 4"/100mm Rollerblade Casters 46.5" 2 Locking / 2 Non-Locking 18"W x 20"D Footprint 18" Range 28.5 Worksurface -1" Kidney Surface - 28"W x 18"D 3D Thermofoil - reversed tear drop edge 8 18" Recessed Magnetic Strip Height Adjustment Hand Lever -20"D 18"W Designed for Microsoft Surface Model Number Worksurface Dimensions Base Dimensions Weight **MSRP** Price Laptop Cart MPC-46P-XX-YYYY 20"D x 20"W 18"W x 20"D 34 lbs. \$824 MPC-46P XX = counterbalance system (pg. 17), YYYY = worksurface color, (pg. 18) Base Ascend Height Adjustable Base 46.5" 4"/100mm Rollerblade Casters 2 Locking / 2 Non-Locking 18"W x 20"D Footprint 18" Range Worksurface 28.5' 1" Square Surface - 20"W x 20"D

3D Thermofoil - reversed tear drop edge

18"W

20"D

class

Laptop Carts

Kidney Laptop Cart	Model Number	Worksurface Dimensions	Base Dimensions
MPC-43P	MPC-43P-XX-YYYY	18"D x 28"W	18"W x 20"D
WIF 0-43F	XX = counterbalance sys	stem (pg. 17), YYYY = worksurface	e color, (pg. 18)


Weight 34 lbs. **MSRP** Price \$774

Base

Ascend Height Adjustable Base 4"/100mm Rollerblade Casters 2 Locking / 2 Non-Locking 18"W x 20"D Footprint

Worksurface

1" Kidney Surface - 28"W x 18"D 3D Thermofoil - reversed tear drop edge Height Adjustment Hand Lever -





Laptop Carts

Kidney Locking Laptop Cart MPC-44P

Model Number MPC-44P-XX-YYYY

Worksurface Dimensions 18"D x 28"W XX = counterbalance system (pg. 17), YYYY = worksurface color, (pg. 18)

Base Dimensions 18"W x 20"D

Weight 35 lbs. **MSRP** Price \$999



Base

Ascend Height Adjustable Base 4"/100mm Rollerblade Casters 2 Locking / 2 Non-Locking 18"W x 20"D Footprint

Worksurface

1" Kidney Surface - 28"W x 18"D Laptop Security System - Keyed · w/cable & 2 Grommets 3D Thermofoil - reversed tear drop edge Height Adjustment Hand Lever -





Innovative features provide healthy and efficient workflow...

Whatever your technology preference or workflow, Altus' H Class Monitor Mounts provide a healthy computing " experience and encourage engagement with patients.

Within our selection of LCD Carts, pick the type of Monitor Mount to match your display.

Height Adjustable LCD Monitor Support (FSA-5):

Internal Cable Management Dimensions: 14.75" H x 3.75" W x 5"D 5.5" of Height Adjustment: 9.25" - 14.75" (measured from middle of VESA plate to the base of monitor support) +20°/-10° of Tilt +/- 180° of Front/Back Rotation 75mm/100mm VESA Standard Positions **13 lb. Maximum Weight Limit**

All-in-One PC Monitor Support (FSA-9): Not Shown

Internal Cable Management Dimensions: 10.75" H x 3.75" W x 5"D - (measured from middle of VESA plate to the base of monitor support) **Fixed Height** +90°/-6° of Tilt +/- 180° of Front/Back Rotation 75mm/100mm VESA Standard Positions **20 lb. Maximum Weight Limit**



H Class Locking LCD & All-In-One PC Cart	Model Number HHC8P5-YYYY (w/FSA-5) HHC8P6-YYYY (w/FSA-0)		Base Dimensions 18"W x 20"D 18"W x 20"D	Weight 62 lbs.	MSRP Price \$1,424 \$1.424
HHC8P	HHC8P6-YYYY (w/FSA-9)	20"D x 21"W	18"W x 20"D	61 lbs.	\$1,424

YYYY = worksurface color, (pg. 18)

Note: This the only model that has the FSA-5 and FSA-9 (White and Platinum Monitor Mount).

(For monitors weighing 13 lbs. or less) • LCD Monitor Support - FSA-5 Vesa Standard 75mm/100mm with Quick Mount Plate

+/- 180 Degrees Front/Back Rotation 5.5" of Height Adjustment


CHOICE 1: HHC8P5-YYYY

Tilt Range: -20°/+10°

Choose the right monitor mount for you application:



HHC8P



Key Adjustability Features:

Worksurface Height Adjustment Range:

33 1/2" - 51 1/2"

Keyboard Height Adjustment Range:

28" - 46"

Monitor Support Height Adjustment Range:

9 1/4" - 14 3/4" (Measured from middle of VESA plate to base of monitor support) 5.5" of Height Adjustment


Integrated Cable Management Color: Platinum Back Cover and Ionic White Front Uprig	ght
Maximum 13 lb. Weight Limit	
CHOICE 2: HHC8P6-YYYY	
(For monitors weighing up to 20 lbs.)	
LCD Monitor Support - FSA-9 Vesa Standard 75mm/100mm with	(
Quick Mount Plate	
Tilt Range: -20°/+10°	
+/- 180° Swivel	
Fixed height	
Integrated Cable Management	
Maximum 20 lb. Weight Limit	
Base	
Ascend Height Adjustable Base	
4"/100mm Rollerblade Casters	
2 Locking / 2 Non-Locking	
18"W x 20"D Footprint	
Vorksurface	
i/8" Thick Worksurface	
BD Laminate	
riction/Stay-Open Hinges	
keyed Lock (HIPAA Compliant) Height Adjustment Hand Lever	
echnology Storage Area	
echnology Storage Area Dimensions:	
Main deck: 17.5"W x 13 ¾"D x 1 7/8"H Lower deck:10.5"W x 10"D x 3 3/8"H	
ntegrated Cordless Bar Code Holder	
ncluded Accessory	
Keyboard Platform and Mousing - KBP One-Piece Design	(
Left/Right Mousing Area and	
Cable Management	
Mousing Area: 6"H x 8"W	
Dimensions: 23"W x 7.5"D	
1/2" walls of keyboard platform prevent keyboard and mouse	
from falling off	
Intuitive 0 /-20 degrees Tilting	
Keyboard Platform Extends 4"	
Contoured Wristrest	
Non-Powered Cart Handle - HN	

Cast Aluminum Construction 18.44"W x .58"D x 1"H

H Class Locking LCD & All-In-One PC Cart HHC6P Series

Model Number	Worksurface Dimensions	Base Dimensions	Weight	MSRP Price
HHC6P5-XX-YYYY-B (w/FSA-4)	20"D x 21"W	18"W x 20"D	64 lbs.	\$1,224
HHC6P6-XX-YYYY-B (w/FSA-8)	20"D x 21"W	18"W x 20"D	63 lbs.	\$1,224

XX = counterbalance system (pg. 17), YYYY = worksurface color, (pg. 18)



H Class Locking LCD & All-In-One PC Cart HMC5P5 Series	Model Number HMC5P5-XX-YYYY XX = counterbalance sy	Worksurface Dimensions 20"D x 20"W Istem (pg. 17), YYYY = worksurfac	Base Dimensions 18"W x 20"D ce color, (pg. 18)	Weight 64 Ibs.	MSRP Price \$1,224	class
Lower Surface Down 2000	Swing-A-Mouse 8"W x 9"D	Base Ascend Height Adjustable Ba 4"/100mm Rollerblade C 2 Locking / 2 Non-Locking 18"W x 20"D Footprint Worksurface 1" Thick Worksurface 3D Laminate Reversed Tear Drop Edge Integrated Black Vinyl Palm Su Height Adjustment Hand Leve	upport			LCD & All-in-One PC Carts
	46.5"	LCD Monitor Support LCD Monitor Support Cabinet Vesa Standard 75mm/100r with Quick Mount Plate Tilt Range: 30° (+35°/+65°) Keyed Lock (HIPAA Complia Integrated Cable Manageme Technology Component Sto 15"W x 8"D x 1.5"-5.25"H Maximum 20 Ib. Weight L	nm ant) ent rage Area Dimensions:			
Key Adjustability Features: Cart Height Adjustment: 28.5" - 46.5" (18" of Sit-to-Stand Height		Included Accessory • Swing-A-Mouse (SAM-3) 8"W x 9"D)			

LCD Cart HMC7P Series	Model NumberWorksurfaceHMC7P5-XX-YYYY (w/FSA-4)20"D x 20"HMC7P6-XX-YYYY (w/FSA-8)20"D x 20"XX = counterbalance system (pg. 17), YYYY = worksupped to the system (pg. 17), YYYYY = worksupped to the system (pg. 17), YYYY = worksupped to the system (pg. 17), YYY = worksupped to the system (pg. 17), YYYY = worksupped to the system (pg. 17), YYYY = worksupped to the system (pg. 17), YYY = worksupped to the system (pg. 17), YYYY = worksupped to the system (pg. 17), YYY = worksupped to the syst	W 18"W x 20"D	Weight MSRP Price 56 lbs. \$999 55 lbs. \$999
Work Surface 20"W x 20"D Swing -A-Mouse 8"W x 9"D 20"D (18"W)	 CHOICE 1: HMC7P5-XX-YYYY (Monitors weighing 13 lbs. or less.) LCD Monitor Support - FSA-4 See page 8 for details. CHOICE 2: HMC7P6-XX-YYYY (For Monitors weighing up to 20 lbs.) All-in-One PC Monitor Support - FSA-8 See page 8 for details. Base 18" Height Adjustment (28.5" - 46.5") 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking) 18"W x 2"D Footprint 	 Worksurface 1" Square - 20"W x 20"D Gable Management Hole 3D Laminate reversed tear drop edge Height Adjustment Hand Lever Included Accessory Swing-A-Mouse (SAM-3) 8"W x 9"D CW (Counterweight) 13.25"W x 14" D x .25"H 	5.5" When Using FSA-4 46.5" 28.5" 18" Range
LCD Cart MPC-58P Series	Model Number Worksurface MPC-58P5-XX-YYYY (w/FSA-4) 20"D x 20" MPC-58P6-XX-YYYY (w/FSA-8) 20"D x 20" XX = counterbalance system (pg. 17), YYYY = workson (pg. 17), YYY = workson (pg. 17), YYYY	W 18"W x 20"D	Weight MSRP Price 54 lbs. \$999 53 lbs. \$999
Work Surface 20"W x 20"D 18" 20"D (18"W)	 CHOICE 1: MPC-58P5-XX-YYYY (Monitors weighing 13 lbs. or less.) LCD Monitor Support - FSA-4 See page 8 for details. CHOICE 2: MPC-58P6-XX-YYYY (For Monitors weighing up to 20 lbs.) All-in-One PC Monitor Support - FSA-8 See page 8 for details. Base 18" Height Adjustment (28.5" - 46.5") 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking) 18"W x 2"D Footprint 	 Worksurface 1" Square - 20"W x 20"D 3D Laminate reversed tear drop edge Height Adjustment Hand Lever Included Accessory CW (Counterweight) 13.25"W x 14" D x .25"H 	5.5" When Using FSA-4 46.5" 28.5" 18" Range
Kidney LCD Cart MPC-47P Series	Model NumberWorksurfaceMPC-47P5-XX-YYYY (w/FSA-4)18"D x 28"MPC-47P6-XX-YYYY (w/FSA-8)18"D x 28"XX = counterbalance system (pg. 17), YYYY = work	W 18"W x 20"D	Weight MSRP Price 53 lbs. \$999 52 lbs. \$999
Work Surface 28"W x 18"D 18" 20"D (18"W)	 CHOICE 1: MPC-47P5-XX-YYYY (Monitors weighing 13 lbs. or less.) LCD Monitor Support - FSA-4 See page 8 for details. CHOICE 2: MPC-47P6-XX-YYYY (For Monitors weighing up to 20 lbs.) All-in-One PC Monitor Support - FSA-8 See page 8 for details. Base 18" Height Adjustment (28.5" - 46.5") 100mm Highly Mobile Rollerblade Casters (2 Locking/2 Non-Locking) 18" W x 2"D Footprint 	 Worksurface 1" Kidney - 28"W x 18"D Cable Management Hole 3D Laminate reversed tear drop edge Height Adjustment Hand Lever Included Accessory CW (Counterweight) 13.25"W x 14" D x .25"H 	5.5" When Using FSA-4 46.5" 28.5" Range

Our H Class Non-Powered Mobile Technology Workstations facilitate highly efficient interactions. Whatever the workflow requirements, Our H Class workstations are made to exceed performance expectations and built to last.



PDS-9

oower cords

ower cords

Tripp-Lite Power Distribution Strip **MSRP Price: \$200** Weight: 3 lbs.



4 Hospital Grade AC Outlets 3' Coiled Cord, Extends to 10' Coiled Power Cord and Cord Hook Black Finish

UL1363A Listed and Approved for Use in Patient Vicinity White finish *Specified for worksurface assemblies with a Cord Tray (CT)

CPC-5-IW Coiled Power Cord MSRP Price: \$100





Coiled, 7.5' Extended Hospital Grade - 3-Outlet Coiled Power Cord - Black Finish Cord Hook - Ionic White Finish For CLP and HHC8P Carts Only

PDS-9-BRK

Tripp-Lite Power Distribution Strip **MSRP Price: \$200** Weight: 3 lbs.



4 Hospital Grade AC Outlets 3' Coiled Cord, Extends to 10' 2-Piece Mounting Bracket and Cord Hook Coiled Power Cord - Black Finish UL1363A Listed and Approved for Use in Patient Vicinity White finish * Specified for worksurface assemblies without a Cord Tray (CT)

RB-2-B

Weight: 1 lbs

storage systems

Rear Basket MSRP Price: \$120

Stores blood pressure cuffs, IV bags,

Weight Limit Not to exceed 5 lbs.

16.25"W x 5.24"D x 6"H

Black (B) Finish

CPC-8 Coiled Power Cord MSRP Price: \$100 Weight: 2 lbs.

180° Degree Swivel

Worksurface Mount

Black Plasticol Finish

BCH-7

bar code holders

MSRP: \$50

Weight: 2 lbs.

Swivel Bar Code Holder



Coiled, 6' Extended, 3' Resting Hospital Grade - 3-Outlet Coiled Power Cord and Cord Hook Black Finish *Specified for worksurface assemblies with a Cord Tray (CT)

RB-3-L

Rear Basket

BCH-14-PL Adjustable Bar Code Holder **MSRP: \$75** Weight: 1.5 lbs.



Extends from 10"W to 12"W For Right Hand, Left Hand and Top Mount uses VESA Bracket Monitor Mount Platinum (PL) Finish


CPC-8-BRK

Coiled Power Cord MSRP Price: \$100 Weight: 2 lbs.



Coiled, 6' Extended, 3' Resting Hospital Grade - 3-Outlet 2-Piece Mounting Bracket and Cord Hook Coiled Power Cord - Black Finish * Specified for worksurface assemblies without a Cord Tray (CT)

SF-1-B MSRP Price: \$120 B



Stores blood pressure cuffs, IV bags, cordless barcode holder chargers, etc. cordless barcode holder chargers, etc. bases, zebra printers, etc. 16.25"W x 5.24"D x 6"H Light Grey (L) Finish Weight Limit Not to exceed 5 lbs. Works with HHC8P and CLP Only.

Accessory Shelf for Rear Basket MSRP Price: \$20 Weight: 1 lbs.



Shelf to hold bar code charging 14.5"W x 3.75"D Black (B) Finish Only works with RB-2 and RB-3 RB-2 and RB-3 sold separately

Accessories

class

Accessories



9 1/4"D x 2.29"H x 12.5"W, White Finish Includes 2 Bins: 4.35"W x 2.62"H x 12.372"D Front Label Insert Area Fits Business Card Size Label, each bin includes 2 Adjustable Bin Dividers, White Finish

CW: counter weight needs to be purchased in addition to this accessory for proper functionality

HFH-PL Utility Basket MSRP: \$100

DSW

Weight: 5 lbs.



Holds Various Folders & Files 12" W x 4"D x 6"H Column Mount Platinum (PL) Finish





13.25"W x 14"D x .25"H Base Mounted Platinum Finish

DS1 Column-Mounted Single Drawer MSRP: \$375 Weight: 11.5 lbs.



Drawer dimensions: 9 1/4"D x 2.29"H x 12.5"W, Column Mount, Single Drawer White Finish

Includes 2 Bins: 4.35"W x 2.62"H x 12.372"D, Front Label Insert Area Fits Business Card Size Label, each bin includes 2 Adjustable Bin Dividers, White Finish

UB-11-PL Utility Basket MSRP: \$120 Weight: 5 lbs.



Storage for a variety of items Spacer Bracket Raises Basket 7" 13.5"W x 12.25"D x 6"H Column Mount Platinum (PL) Finish

HN Non-Powered Cart Handle MSRP Price: \$150 Weight: 2 lbs.



18.44"W x .58"D x 1"H Cast Aluminum Constuction Polished Finish

DS2

Column-Mounted Double Drawer MSRP: \$750 Weight: 23 Ibs.



Drawer dimensions: 9 1/4"D x 2.29"H x 12.5"W, Full outer dimensions: 10"D x 9 1/4"H x 14 1/2"W, Column Mount, Double Drawer, White Finish

Includes 4 Bins: $4.35^{\circ}\text{W} \times 2.62^{\circ}\text{H} \times 12.372^{\circ}\text{D},$ Front Label Insert Area Fits Business Card Size Label, each bin includes 2 Adjustable Bin Dividers, White Finish

CPU-2-PL Slim-Line CPU Holder MSRP Price: \$100 Weight: 6 lbs.



Adjustable Securing Straps Included 10"W, 3.5"-6.5"D Column Mount Platinum (PL) Finish

CT-B Cord Tray MSRP: \$50 Weight: 1 lbs.



Stores technology components and various cables. I.D.:14.5"W x 6.75"D x 6"H O.D.: 16.25"W x 8"D x 6"H Color: Black (B)

HB-PL Utility Basket MSRP: \$100 Weight: 3 lbs.



Holds Bar Code Charging Bases, Zebra printers, etc. 12.28" W x 5"D x 4"H Column Mount Platinum (PL) Finish

MPS-6-PL Multi-Purpose Adjustable Shelf MSRP Price: \$120 Weight: 6 lbs.



Adjustable Secure Strap Included 18"W x 7"-12"D x 2.6"H Column Mount Platinum (PL) Finish

CMH-PC Cable Management Holder MSRP: \$50 Weight: 1 lbs.



2 Piece Design (5.75"W x 3"D x 2"H ea.) See Accessory Matrix for Correct Surface Use Includes Re-usable Cable Ties Worksurface Mount Black Finish

HC-4 Tente Heavy Duty Casters MSRP Price: \$150 Weight: 4 lbs. per set



casters

Wheel Cover: Polypropylene Tread: Thermoplastic Rubber Precision Ball Bearings 2 locking 2 non-locking, Size: 100mm Tread width: 1.26" Gray Finish

SAM-3 Left Left-handed Swing a Mouse MSRP Price: \$50 Weight: 2 lbs.



nousing

8"W x 9"H Worksurface Mount Black Finish

EP-1 Equipment Pole - Telescoping MSRP Price: \$150 Weight: 4 lbs.

miscellaneous



Locking Collar Adjusts height from 22" to 40" Anodized aluminum tubing Weight Limit Not to Exceed 8 lbs. Anodized Aluminum HC-5 Shepherd Genesis Casters MSRP Price: \$150 Weight: 4 lbs. per set



Wheel Cover: Polypropylene Tread: Thermoplastic Rubber Precision Ball Bearings 2 locking 2 non-locking, Size: 100mm Tread width: 1.17" White & Gray Finish

SAM-3 Swing a Mouse MSRP Price: \$50 Weight: 2 lbs.



8"W x 9"H Worksurface Mount Black Finish

AB Adapter Bracket MSRP Price: \$50 Weight: .5 lbs.



Height Adjustable Upper Surface Adapter Bracket Fits taller technology components Height Spacing: 3.5", 4", 4.5"H Black Finish

CCS-XX Vinyl Strips - Pack of 10 (1 color) MSRP Price: \$40 Weight: .25 lbs



 $Size: 1 1/8"H x 12"W \\ Paper-backed for easy installation \\ XI = Color, Colors: \\ CCS-01: MAGENTA \\ CCS-02: GOLDEN YELLOW \\ CCS-03: CARDINAL RED \\ CCS-04: BLUE \\ CCS-05: FEDEX GREEN \\ CCS-06: PUMPKIN \\ CCS-07: ROYAL PURPLE \\$

MH Mouse House MSRP Price: \$25 Weight: .5 lbs



2.75"W x 4"H x 1.5"D Adhesive Mount White Finish

U222-004-R USB 4-Port Hub MSRP Price: \$50 Weight: .5 lbs.



Expands 1 USB 2.0 port into 4 ports Data transfer rates up to 480 Mbps Backward compatible with USB 1.1 Compact 110/220V AC power adapter USB AA extension cable Black Flnish

TLKIT Micro USB Powered Task Light MSRP: \$75 Weight: .25 lbs.




Micro USB Powered Task Light Dimensions: 10° W x 3/8"H x 9/16"D Kit includes: 4, 5" zip ties and tie mounts, Alcohol wipe, 10° L x .5"W Velcro Strip, 36" USB 2.0 Male to Micro B USB Male white cable Anodized Finish

SW1 Sani-Wipe Bracket MSRP: \$50 Weight: 1 lbs.



Bracket Holds Sani-Wipe Bracket & Canister (designed to work with PDI 3-in-1 Universal Sani-bracket, #P010901) Bracket Dimensions: 3.5" W x 2.8"H Column Mount, Platinum (PL) Finish

CF Cool Feet™ Laptop Adj. MSRP Price: \$20 Weight: .5 lbs.



Set of 4 (2) 1" H and (2) .5" H, Keeps Laptop Cool Suction Cup Attachment Gray Finish

Altus has made your accessory selection a snap. Find the cart you have selected. Under that, you will see which accessories are compatible with your selection.

There is a limit to how many accessories can be configured with each cart. Please contact customer service to see how we can assist in your configuration.

LEGEN	ID:	•	CO	MPA1	TIBLE		\bigcirc	NOT	COM	PATIE	BLE		1	NCLU	JDED	
	LAPTOP CARTS								Ś	5/P6)	5/P6)		5/P6)	5/P6)	MPC-58P (P5/P6)	
	OP C	P2	42P	33P	43P	44P	46P		LCD CARTS	ННС6Р (Р5/Р6)	b (b	SP5	ZP (P	47P (F	58P (F	
ACCESSORIES	LAPT	HLC7P2	MPC-42P	MPC-33P	MPC-43P	MPC-44P	MPC-46P	CLP	LCD	HHO	ННС8Р (Р5/Р6)	HMC5P5	HMC7P (P5/P6)	MPC-47P (P5/P6)	MPC-	
AB		~	\bigcirc	\Diamond	\Diamond	\bigcirc	\Diamond	\bigcirc		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	
BCH-7						✓		\odot			\otimes	∨				
BCH-14		\Diamond	\bigcirc	\Diamond	\Diamond	\diamond	\Diamond	\odot								
CCS				✓	 ✓ 		✓	✓		~	v		-	~		
CF		~	~	~	~	>	~	~		~	v	~	~	~	~	
CMH-PC		\bigcirc	~	~	~	>	~	\bigcirc		\bigcirc	\bigcirc	\bigcirc		v	v	
CPC-5		\odot	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	 ✓ 		\odot	v	\bigcirc	\bigcirc	\bigcirc	\bigcirc	
CPC-8				\bigcirc	\bigcirc	\otimes	\bigcirc	\bigcirc		~	\bigcirc		\odot	\odot	\odot	
CPC-8-BRK		\bigcirc	\bigcirc	v	✓		v	\bigcirc		\bigcirc	\odot					
CPU-2																
CT		0	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		· ·	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	
CW						>				0		✓	0	0	0	
DSW		\Diamond	\bigcirc	\bigcirc	\bigcirc	\circ	\Diamond	·		\bigcirc		\bigcirc	\bigcirc	\bigcirc	\bigcirc	
DS1		-	v	~	v	>	v	\bigcirc		v	\bigcirc	~	~	~	~	
DS2		~	~	~	~	>	~	\bigcirc		~	\odot	~	~	~	~	
EP-1		-	~	~	~	~	~	\bigcirc		~	\bigcirc	\bigcirc	~	~	v	
HC-4		-	~	~	~	v	~	v		~	v	v	~	~	~	
HC-5		~	~	~	~	>	~	~		~	~	~	~	~	~	
HB		-	~	~	~	>	~	~		v	~	~	•	v	~	
HFH		~	~	~	~	>	~	~		~	~	~	~	~	~	
HN		~	\bigcirc	\bigcirc	\bigcirc	\oslash	~	0		~	0	~	~	\bigcirc	~	
MH		~	~	~	~	>	~	~		~	•	~	~	~	v	
MPS-6		~	~	~	~	>	~	~		~	~	~	~	~	•	
PDS-9		~	~	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		~	\bigcirc	~	\bigcirc	\bigcirc	\bigcirc	
PDS-9-BRK		\oslash	\bigcirc	✓	~	•	•	\bigcirc		\bigcirc	\bigcirc	✓	✓	✓	~	
RB-2		 	\bigcirc	\odot	\bigcirc	\bigcirc	✓	\bigcirc		 Image: A start of the start of	\bigcirc	 	 Image: A start of the start of	 Image: A start of the start of	 	
RB-3		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	✓		\bigcirc	 Image: A start of the start of	\bigcirc	\bigcirc	\bigcirc	\bigcirc	
SAM-3		0	\bigcirc	\bigcirc	\bigcirc	\bigcirc	~	\bigcirc		0	\bigcirc	0	✓	\bigcirc	0	
SAM-3L		 Image: A start of the start of	\bigcirc	\bigcirc	\bigcirc	\bigcirc	•	\bigcirc		 	\bigcirc	 Image: A start of the start of	 	\bigcirc	✓	
SF-1		 	\bigcirc	\Diamond	\bigcirc	\bigcirc	~	 		✓	 	✓	 	\bigcirc	~	
SW1		 	 	✓	✓	>	~	 		~	 Image: A start of the start of	✓	 	 	 	
TLKIT		V	V	v	V	•	v	V		V	V	V	V	V	V	
UB-11 U222-004-R					v	> >					✓ ✓			✓ ✓		
0222-004-R		~	-		~	~	-	•		V	 •	~	~	-	~	

ALTUS.

*Depending on the total weight of your technology equipment and accessories, we offer three counterbalance systems for maximum performance: Lite Duty (LD), Medium Duty (MD), Standard Duty (SD), and Heavy Duty (HD).

The following guideline illustrates which system is best for your individual use. To start guideline equation, add model number weight + optional accessory(s) weight + technology component(s) weight.

MODEL # (worksurface and included accessory)	TOTAL WEIGHT (LBS.)	+2 OPTIONAL ADDITIONAL WORKSURF MOUNTED ACCESSORY	ACE 30A	+3 TECHNOLOGY COMPONENTS (Devices)	ESTIMATED WEIGHT (LBS.)	RECOMMENDED COUNTERBALANCE SYSTEM	LIFTING LOADS (LBS.)
HLC7P2	21	AB	1	LAPTOP	6	LITE DUTY (LD)	0-13
MPC-42P	9	BCH-7	1	THIN CLIENT	4	MEDIUM DUTY (MD)	14-28
MPC-33P	12	BCH-14	1	SMALL FORM FACTOR	7	STANDARD DUTY (SD)	29-43
MPC-43P	11	CF	0.5	ALL-IN-ONE	11	HEAVY DUTY (HD)	44-59
MPC-44P	12	CMH-PC	1	ALL-IN-ONE W/BATTERY	15	<u> </u>	
MPC-46P	11	CPC-8	2	LCD	6		
CLP	32	CPC-8-BRK	2				
HHC8P5	39	CPC-5	2	KEYBOARD	1		
HHC8P6	38	CT	1	MOUSE	0.5		
HHC6P5	22	DSW	12				
HHC6P6	21	HN	2	Please refer to the tech			
HMC5P5	22	EP-1	4	specs for the weight of			
HMC7P5	20	MH	0.5	the devices you will			
HMC7P6	19	PDS-9	2	be using. Above are			
MPC-47P5	17	PDS-9-BRK	3	only averages.			
MPC-47P6	16	RB-2	2				
MPC-58P5	18	RB-3	2				
MPC-58P6	17	SAM-3	2				
		SAM-3LEFT	3				
		SF-1	1				
		U222-004-R	0.5				
COUNTERBAL	ANCE	GUIDELINE STEP-	BY-STEP EXA	MPLE:			
Example:			Optional Accessory	Technology Component	Total Weight	Recommended System	
HLC7P2:	TLB20	20 + SAM-3	+ CPC-8	+ Laptop, Keyboard & Mouse			
weights:	18 lbs	. + 2 lbs.	+ 2 lbs.	+ 7.5 lbs.	= 29.5 lbs.	= Standard Duty System (SD)

ALTUS. : Ordering

1. Select your base cart:



Example carts shown: HHC8P5, HLC7P2 and MPC-43P


Custom product: If you do not see the exact cart or table you want to specify, contact Altus Customer Support at 888.537.1311 to discuss custom capabilities.

When selecting additional accessories, please call customer service for exact placement, positioning and accessory limitations.

2. Select worksurface color (1 standard color). If another worksurface color is preferred, select <u>alternative</u> (8 choices), add \$50 MSRP.

Standard Color: Cloud

Alternative Colors: Glacier White, Shark Grey, Amarti Walnut, Crossfire Java, Summerflame, American Natural Maple, Cashmere Fibers, Grey Fibers



We have tried our best to accurately represent worksurface colors. Colors may vary slightly. Call Customer Service for actual samples.

3. Select additional accessories:





BCH-14



CPC-8


RB-2

HB

- 4. Don't see the exact cart you want to specify? Contact Altus Customer Support at 888.537.1311.
- 5. Include freight estimate from Altus.
- 6. Email or Fax your purchase order to Altus: Email: sales@altus-inc.com



To see all Altus Terms and Conditions, please visit: www.altus-inc.com/warranty






A complete product offering





Mobile Technology Workstation bile Technology Workstations Powered - Clio Powered - Clio Swap





Moblie Technology Workstation Med Delivery - ClioMed Med Delivery - RediMed



Mobile Technology Workstations Non-Powered



Wall-Mounted Technology Workstations Reach



Wall-Mounted Technology Workstations Input



Point-of-Care Healthcare Solutions Provider St. Louis, MO | Memphis, TN 1-888-345-8511 www.elliottdata.com





